

## IN THE CLAIMS

Claims 1-13: (Cancelled).

14. (New) A truck box for positioning within a truck bed, comprising:  
first and second truck box body sections interconnected with one another to define a cavity therebetween into which a removable insert may be placed; and  
a lid mounted with each of the first and second truck box body sections and overhanging the cavity, each lid being releasably engagable with the respective body section to lock the position of the lid relative to the body section and prohibit the insert having a width greater than the lateral distance between the lids from moving upwardly out of the cavity.
15. (New) The truck box of claim 14, wherein each lid has a top surface and a bottom surface, with at least one recess formed in the bottom surface for receiving a raised member formed on the top surface of the removable insert to secure the insert in position in the cavity.
16. (New) The truck box of claim 14, further comprising tie downs extending from the first and second truck box body sections.
17. (New) The truck box of claim 14, wherein the removable insert is a wheel support insert having an arcuate channel into which a wheel may be positioned.
18. (New) The truck box of claim 14, wherein the removable insert is a storage cabinet with a set of drawers.
19. (New) The truck box of claim 14, wherein the removable insert is an ice chest.

20. (New) The truck box of claim 14, wherein the first and second truck box body sections are interconnected with one another by a frame such that the removable insert may be positioned on the frame between the body sections.
21. (New) The truck box of claim 14, wherein each lid is releasably engagable with the respective body section by a latch.
22. (New) An integrated truck box and removable insert for positioning within a truck bed, comprising:
  - first and second truck box body sections each having a lid enclosing an interior into which items may be placed, the body sections disposed adjacent to one another to define a cavity therebetween; and
  - a removable insert configured for positioning within the cavity.
23. (New) The integrated truck box and removable insert of claim 22, wherein the lids of the first and second truck box body sections overhang the cavity, each lid being releasably engageable with the respective body section to lock the position of the lid relative to the body section and prohibit the removable insert having a width greater than the lateral distance between the lids from moving upwardly out of the first cavity.
24. (New) The integrated truck box and removable insert of claim 23, wherein each lid is releasably engagable with the respective body section by a latch.
25. (New) The integrated truck box and removable insert of claim 22, further comprising a frame interconnecting the first and second truck box body sections such that the removable insert may be positioned on the frame between the body sections.

26. (New) The integrated truck box and removable insert of claim 22, wherein each lid has a top surface and a bottom surface, with at least one recess formed in the bottom surface for receiving a raised member formed on the top surface of the removable insert to secure the insert in position in the cavity.
27. (New) The integrated truck box and removable insert of claim 22, further comprising tie downs extending from the first and second truck box body sections.
28. (New) The integrated truck box and removable insert of claim 22, wherein the removable insert is a wheel support insert having an arcuate channel into which a wheel may be positioned.
29. (New) The integrated truck box and removable insert of claim 22, wherein the removable insert is a storage cabinet with a set of drawers.
30. (New) The integrated truck box and removable insert of claim 22, wherein the removable insert is an ice chest.